

L Number	Hits	Search Text	DB	Time stamp
-	164	(710/317).CCLS.	USPAT; US-PGPUB	2003/12/22 11:54
-	18	((710/317).CCLS.) and analog and digital	USPAT; US-PGPUB	2003/12/19 14:17
-	37232	microcontroller	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 13:51
-	14360	microcontroller and analog and digital	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 13:51
-	2326	(microcontroller and analog and digital) and (wirebond or "wire bond" or pad)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 13:52
-	1714	((microcontroller and analog and digital) and (wirebond or "wire bond" or pad)) and processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 13:52
-	1459	((microcontroller and analog and digital) and (wirebond or "wire bond" or pad)) and processor) and (crossbar or switch\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 13:55
-	1458	((microcontroller and analog and digital) and (wirebond or "wire bond" or pad)) and processor) and (crossbar or switch\$5)	USPAT; US-PGPUB	2003/12/19 13:56
-	37232	microcontroller	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 14:11
-	316838	analog same digital	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 14:11
-	13231	microcontroller and (analog same digital)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 14:12
-	0	((710/317).CCLS.) and wirebond	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 14:12
-	8	(microcontroller and (analog same digital)) and wirebond	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 14:12
-	62	(microcontroller and (analog same digital)) and (wirebond or "wire bond")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 14:13
-	55	((microcontroller and (analog same digital)) and (wirebond or "wire bond")) and (processor or microprocessor or cpu)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 14:14

-	48	((microcontroller and (analog same digital)) and (wirebond or "wire bond")) and (processor or microprocessor or cpu) and (switch\$4 or crossbar or "cross bar"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/19 14:16
-	0	((microcontroller and (analog same digital)) and (wirebond or "wire bond")) and (processor or microprocessor or cpu) and (switch\$4 or crossbar or "cross bar")) not microcontroller	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/19 14:16
-	316838	analog same digital	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/19 14:17
-	803	(analog same digital) and (wirebond or "wire bond"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/19 14:17
-	493	((analog same digital) and (wirebond or "wire bond")) and (switch\$4 or crossbar or "cross bar"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/19 14:18
-	301	((analog same digital) and (wirebond or "wire bond")) and (switch\$4 or crossbar or "cross bar")) and (processor or microprocessor or cpu)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/19 17:05
-	2	("6144327") or ("5202687")).PN.	USPAT; US-PGPUB	2003/12/19 17:06
-	1	("6192431").PN.	USPAT; US-PGPUB	2003/12/22 13:19
-	0	6192431.URPN.	USPAT	2003/12/22 13:15
-	0	6192431.URPN.	USPAT	2003/12/22 13:15
-	6	("5701517" "5715197" "5737764" "5748982" "5822610" "5835965").PN.	USPAT	2003/12/22 13:15
-	1649	(257/666).CCLS.	USPAT; US-PGPUB	2003/12/22 13:19
-	1335	((257/666).CCLS.) and (wirebond or "wire bond" or pad)	USPAT; US-PGPUB	2003/12/22 14:01
-	87	((257/666).CCLS.) and (wirebond or "wire bond" or pad)) and (processor or cpu)	USPAT; US-PGPUB	2003/12/22 13:21
-	81	((257/666).CCLS.) and (wirebond or "wire bond" or pad)) and (processor or cpu) and (switch or select\$6 or configura\$5)	USPAT; US-PGPUB	2003/12/22 13:23
-	64	((257/666).CCLS.) and (wirebond or "wire bond" or pad)) and (processor or cpu) and (switch or select\$6 or configurable or reconfigurable or re-configurable)	USPAT; US-PGPUB	2003/12/22 13:23
-	429	((257/666).CCLS.) and (wirebond or "wire bond"))	USPAT; US-PGPUB	2003/12/22 14:03
-	43	((257/666).CCLS.) and (wirebond or "wire bond")) and (processor or cpu)	USPAT; US-PGPUB	2003/12/22 14:02
-	482	((257/666).CCLS.) and ((wirebond or "wire bond") next10 (processor or cpu))	USPAT; US-PGPUB	2003/12/22 14:03
-	422718	("wire bond" or wirebond) next10 (processor or cpu)	USPAT; US-PGPUB	2003/12/22 14:04
-	482	("wire bond" or wirebond) next10 (processor or cpu) and ((257/666).CCLS.)	USPAT; US-PGPUB	2003/12/22 14:04
-	17	("wirebond pad" or "wire bond pad") near10 (processor or cpu)	USPAT; US-PGPUB	2003/12/22 14:07
-	48	(wirebond or "wire bond") near10 (processor or cpu)	USPAT; US-PGPUB	2003/12/22 14:08
-	8	((wirebond or "wire bond") near10 (processor or cpu) same (switch or configura\$6 or select\$6)	USPAT; US-PGPUB	2003/12/22 14:10

-	1	("5563529").PN.	USPAT;	2003/12/22
-	1	("6445242").PN.	US-PGPUB	14:12
-	1133	(257/676).CCLS.	USPAT;	2003/12/22
-	207	"wirebond pad"	US-PGPUB	14:14
-	1183	"wire bond pad"	USPAT;	2003/12/22
-	1351	"wirebond pad" or "wire bond pad"	US-PGPUB	14:15
-	188	("wirebond pad" or "wire bond pad") and processor	USPAT;	2003/12/22
-	2443436	switch\$6 or select\$6 or reconfigurable or re-configurable or configurable	US-PGPUB	14:17
-	0	((("wirebond pad" or "wire bond pad") near10 (processor or cpu)) near10 (switch\$5 or select\$5 or configurable or reconfigurable or re-configurable)	USPAT;	2003/12/22
-	0	((("wirebond pad" or "wire bond pad") near10 (processor or cpu)) same (switch\$5 or select\$5 or configurable or reconfigurable or re-configurable)	US-PGPUB	14:18
-	1	((("wirebond pad" or "wire bond pad") near10 (processor or cpu)) and (switch\$5 or select\$5 or configurable or reconfigurable or re-configurable)	USPAT;	2003/12/22
-	11	((("wirebond pad" or "wire bond pad") near10 (processor or cpu)) and (switch\$5 or select\$5 or configurable or reconfigurable or re-configurable)	US-PGPUB	14:20
-	954	(326/38).CCLS.	USPAT;	2003/12/22
-	2	((326/38).CCLS.) and ("wirebond pad" or "wire bond pad")	US-PGPUB	16:00
-	1058	(326/41).CCLS.	USPAT;	2003/12/22
-	1	((326/41).CCLS.) and ("wirebond pad" or "wire bond pad")	US-PGPUB	16:02
-	319	(257/e23.011).CCLS.	USPAT;	2003/12/22
-	3	((257/e23.011).CCLS.) and ("wirebond pad" or "wire bond pad")	US-PGPUB	16:03
-	65	(257/e23.032).CCLS.	USPAT;	2003/12/22
-	0	((257/e23.032).CCLS.) and ("wirebond pad" or "wire bond pad")	US-PGPUB	16:06
-	534	(257/e23.079).CCLS.	USPAT;	2003/12/22
-	11	((257/e23.079).CCLS.) and ("wirebond pad" or "wire bond pad")	US-PGPUB	16:07
-	401	(710/316).CCLS.	USPAT;	2003/12/22
-	0	((710/316).CCLS.) and ("wirebond pad" or "wire bond pad")	US-PGPUB	16:11
-	164	(710/317).CCLS.	USPAT;	2003/12/22
-	0	((710/317).CCLS.) and ("wirebond pad" or "wire bond pad")	US-PGPUB	17:36
-	82	((326/38).CCLS.) and ((326/41).CCLS.) and (pad and processor or microprocessor)	USPAT;	2003/12/22
-	42	((326/38).CCLS.) and ((326/41).CCLS.) and (pad and (processor or microprocessor))	US-PGPUB	16:27
-	35	((326/38).CCLS.) and ((326/41).CCLS.) and (pad and (processor or microprocessor))) and (configurable or reconfigurable or re-configurable)	USPAT;	2003/12/22
			US-PGPUB	16:28

-	31	((((326/38).CCLS.) and ((326/41).CCLS.) and (pad and (processor or microprocessor))) and (configurable or reconfigurable or re-configurable)) and switch\$6	USPAT; US-PGPUB	2003/12/22 16:31
-	382	(configurable or reconfigurable or re-configurable) near6 pin	USPAT; US-PGPUB	2003/12/22 16:50
-	70	((configurable or reconfigurable or re-configurable) near6 pin) and pad and (processor or microprocessor) and (switch or connect\$5 or select\$4)	USPAT; US-PGPUB	2003/12/22 16:50
-	234	(configurable or reconfigurable or re-configurable) near3 pin	USPAT; US-PGPUB	2003/12/22 16:50
-	34	((configurable or reconfigurable or re-configurable) near3 pin) and pad and (processor or microprocessor) and (switch or connect\$5 or select\$4)	USPAT; US-PGPUB	2003/12/22 17:33
-	2289	(257/666,676).CCLS.	USPAT; US-PGPUB	2003/12/22 17:36
-	0	((257/666,676).CCLS.) and ((326/38).CCLS.) and ((326/41).CCLS.) and ((257/e23.011).CCLS.) and ((257/e23.032).CCLS.) and ((257/e23.079).CCLS.) and ((710/316).CCLS.) and ((710/317).CCLS.) and microcontroller	USPAT; US-PGPUB	2003/12/22 17:37
-	142	((257/666,676).CCLS.) or ((326/38).CCLS.) or ((326/41).CCLS.) or ((257/e23.011).CCLS.) or ((257/e23.032).CCLS.) or ((257/e23.079).CCLS.) or ((710/316).CCLS.) or ((710/317).CCLS.)) and microcontroller	USPAT; US-PGPUB	2003/12/22 17:38
-	71	((257/666,676).CCLS.) or ((326/38).CCLS.) or ((326/41).CCLS.) or ((257/e23.011).CCLS.) or ((257/e23.032).CCLS.) or ((257/e23.079).CCLS.) or ((710/316).CCLS.) or ((710/317).CCLS.)) and microcontroller and pad	USPAT; US-PGPUB	2003/12/22 17:39
-	57	((257/666,676).CCLS.) or ((326/38).CCLS.) or ((326/41).CCLS.) or ((257/e23.011).CCLS.) or ((257/e23.032).CCLS.) or ((257/e23.079).CCLS.) or ((710/316).CCLS.) or ((710/317).CCLS.)) and microcontroller and pad and (processor or microprocessor)	USPAT; US-PGPUB	2003/12/22 18:09
-	0	6509758.URPN.	USPAT	2003/12/22 17:50
-	12	("4642561" "4800294" "4963768" "5107146" "5107230" "5289116" "5473758" "5511182" "5563526" "5686844" "6057705" "6246258").PN.	USPAT	2003/12/22 17:51
-	14	((257/666,676).CCLS.) or ((326/38).CCLS.) or ((326/41).CCLS.) or ((257/e23.011).CCLS.) or ((257/e23.032).CCLS.) or ((257/e23.079).CCLS.) or ((710/316).CCLS.) or ((710/317).CCLS.)) and microcontroller and pad) not ((257/666,676).CCLS.) or ((326/38).CCLS.) or ((326/41).CCLS.) or ((257/e23.011).CCLS.) or ((257/e23.032).CCLS.) or ((257/e23.079).CCLS.) or ((710/316).CCLS.) or ((710/317).CCLS.)) and microcontroller and pad and (processor or microprocessor))	USPAT; US-PGPUB	2003/12/22 18:09
-	0	6509758.URPN.	USPAT	2003/12/24 13:48

-	12	("4642561" "4800294" "4963768" "5107146" "5107230" "5289116" "5473758" "5511182" "5563526" "5686844" "6057705" "6246258").PN.	USPAT	2003/12/24 13:48
-	12	("4642561" "4800294" "4963768" "5107230" "5289116" "5473758" "5511182" "5563526" "5686844" "5724009" "6057705" "6246258").PN.	USPAT	2003/12/24 13:49
-	23	("4472647" "4698526" "4877978" "4896060" "4902917" "4930112" "4978905" "5084635" "5144167" "5153450" "5157282" "5161124" "5162672" "5300832" "5309044" "5345112" "5353250" "5359240" "5402018" "5406139" "5600267" "5732027" "6047352").PN.	USPAT	2003/12/24 13:50
-	12	("4642561" "4800294" "4963768" "5107146" "5107230" "5289116" "5473758" "5511182" "5563526" "5686844" "6057705" "6246258").PN.	USPAT	2003/12/30 13:41
-	0	6509758.URPN.	USPAT	2003/12/30 14:17
-	12	("4642561" "4800294" "4963768" "5107230" "5289116" "5473758" "5511182" "5563526" "5686844" "5724009" "6057705" "6246258").PN.	USPAT	2003/12/30 14:17
-	3	("5757207" "5768598" "5883526").PN.	USPAT	2003/12/30 17:28
-	0	6188241.URPN.	USPAT	2003/12/30 17:29
-	6	("5701517" "5715197" "5737764" "5748982" "5822610" "5835965").PN.	USPAT	2003/12/30 17:29
-	27	"analog circuit" and "digital circuit" and switch and pad and processor and (microcontroller or "micro controller" or micro-controller)	USPAT; US-PGPUB	2003/12/30 17:52
-	0	20020108006.URPN.	USPAT	2003/12/30 17:50
-	0	"analog circuit" and "digital circuit" and switch and pad and processor and (microcontroller or "micro controller" or micro-controller)	EPO; JPO; DERWENT; IBM_TDB	2003/12/30 17:52
-	36	"analog circuit" and "digital circuit" and switch and pad and (processor or microprocessor or cpu) and (microcontroller or "micro controller" or micro-controller)	USPAT; US-PGPUB	2003/12/30 17:53

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE


[Membership](#) [Publications/Services](#) [Standards](#) [Conferences](#) [Careers/Jobs](#)
IEEE Xplore
RELEASE 1.6

 Welcome
 United States Patent and Trademark Office

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)

» Search

Welcome to IEEE Xplore™

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

 Your search matched **56** of **995179** documents.

 A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or enter new one in the text box.

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 Coherence multiplexing/subcarrier FDM transmission system with I configuration
Uehara, H.; Sasase, I.;

Communications, Computers, and Signal Processing, 1995. Proceedings. IEEE Pacific Rim Conference on , 17-19 May 1995

Pages:550 - 553

[\[Abstract\]](#)
[\[PDF Full-Text \(308 KB\)\]](#)

IEEE CNF

2 A simple scheme for slot reuse without latency for a dual bus configuration
Sharon, O.; Segall, A.;

Networking, IEEE/ACM Transactions on , Volume: 1 , Issue: 1 , Feb. 1993

Pages:96 - 104

[\[Abstract\]](#)
[\[PDF Full-Text \(836 KB\)\]](#)

IEEE JNL

3 Global wire bus configuration with minimum delay uncertainty
Li-Da Huang; Hung-Ming Chen; Wong, D.F.;

Design, Automation and Test in Europe Conference and Exhibition, 2003 , 2003

Pages:50 - 55

[\[Abstract\]](#)
[\[PDF Full-Text \(KB\)\]](#)

IEEE CNF

4 A digital bus configuration for a multi-processor system with square pyramid structure
Tevfik Akgun, B.; Emre Harmanci, A.;

Electrotechnical Conference, 1994. Proceedings., 7th Mediterranean , 12-14 May 1994

Pages:332 - 335 vol.1